

09/835,733

TELNP226USA

---

**CLEAN VERSION OF ALL PENDING CLAIMS**

---

**IN THE CLAIMS:**

---

14. (Three Times Amended) A hand-held optical scanning device, comprising:  
a body including an upper surface having a display mounted thereof;  
a handle that extends from a bottom surface of the body, the display having a horizontal configuration; and  
a microcomputer that provides a display option in accordance with the horizontal configuration to orient display information on the display based at least in part upon whether a user selects a left hand or right hand display option.
15. The hand-held optical scanning device of claim 14, the handle being integrally molded with the bottom of the body.
16. The hand-held optical scanning device of claim 14, comprising a wireless data transmission system for communicating data.
17. The hand-held optical scanning device of claim 16 being operative in a local area wireless network.
18. The hand-held optical scanning device of claim 14, the body including a lower housing member and an upper housing member that forms a cover, a resilient sealing member interposed between the lower housing member and cover to form a dust and moisture resistance seal therebetween.
19. The hand-held optical scanning device of claim 18, the cover including a digital display.

09/835,733

TELNP226USA

20. (Twice Amended) The hand-held optical scanning device of claim 14, the display is configurable to adapt to a user's preference, the users preference including at least one of the horizontal configuration and a vertical configuration.

21. (Twice Amended) A hand-held optical scanning device, comprising:  
a body having an optical scanning module arranged to scan objects in a direction outward from a first distal end, the body including an upper surface having a display mounted thereof;  
a handle that extends from a bottom surface of the body at the first distal end to increase a viewing angle of the display, the handle being joined to the body to cause a proximal end of a bottom surface of the body to rest on a radial surface of a user's hand.

22. The hand-held optical scanning device of claim 21, the handle including a trigger.

23. The hand-held optical scanning device of claim 22, the trigger being a two-finger trigger.

24. The hand-held optical scanning device of claim 22, the trigger facilitating at least one of the following functions: read only, read and store, and scroll menu utility.

25. The hand-held optical scanning device of claim 21, further comprising a resilient member between a lower body member and cover, the resilient member extending a distance beyond the lower body member and cover a substantial portion of a periphery of the body.

26. The hand-held optical scanning device of claim 25, the resilient member providing a bumping surface that protects the users hand.

27. The hand-held optical scanning device of claim 25, the resilient member providing a bumping surface that protects the device.

28. The hand-held optical scanning device of claim 21, the handle being integrally molded with the bottom of the body.

09/835,733

TELNP226USA

---

29. The hand-held optical scanning device of claim 21, comprising a wireless data transmission system for communicating data.

30. The hand-held optical scanning device of claim 21, the body including a lower housing member and an upper housing member that forms a cover, a resilient sealing member interposed between the lower housing member and cover to form a dust and moisture resistance seal therebetween.

31. The hand-held optical scanning device of claim 30, the cover including a digital display.

32. The hand-held optical scanning device of claim 21, further comprising a display that is configurable to adapt to a user's preference.

33. The hand-held optical scanning device of claim 32, the display being configurable vertically and horizontally.

34. The hand-held optical scanning device of claim 32, the display being configurable to provide portrait and landscape views.

---